

1. Carr N, Cecil TD, Mohamed F, et al. A consensus for classification and pathologic reporting of pseudomyxoma peritonei and associated appendiceal neoplasia: The results of the peritoneal surface oncology group international (PSOGI) modified Delphi process. *Am J Surg Pathol* 2016;40:14-26.
2. Overman M, Asare EA, Compton CC, et al. Appendix – Carcinoma. In: Amin MB, ed. *AJCC Cancer Staging Manual*. 8th Edition. Springer. 2016; 237-250.
3. Misdraji J, Yantiss RK, Graeme-Cook FM, et al. Appendiceal mucinous neoplasms – a clinicopathologic study of 107 cases. *Am J Surg Pathol* 2003; 27:1089-1103.
4. Yantiss RK, Shia J, Klimstra DS et al. Prognostic significance of localized extra-appendiceal mucin deposition in appendiceal carcinoma. *Am J Surg Pathol* 2009; 33:248-255.
5. Pai RK, Beck AH, Norton JA, et al. Appendiceal mucinous neoplasms: Clinicopathologic study of 116 cases with analysis of factors predicting recurrence. *Am J Surg Pathol* 2009;33: 1425-1439.
6. Davison J, Choudry HA, Pingpank JF, et al. Clinicopathologic and molecular analysis of disseminated appendiceal mucinous neoplasms: Identification of factors predicting survival and proposed criteria for a three-tiered assessment of tumor grade. *Mod Pathol* 2014;27:1521-1539.
7. Asare EA, Compton CC, Hanna NN, et al. The impact of stage, grade, and mucinous histology on the efficacy of systemic chemotherapy in adenocarcinomas of the appendix. *Cancer* 2016;122:213-221.
8. Shetty S, Natarajan B, Thomas P, et al. Proposed classification of pseudomyxoma peritonei: Influence of signet ring cells on survival. *Am Surg* 2013;79:1171-1176.
9. Sirintrapun SJ, Blackham AJ, Russell G, et al. Significance of signet ring cells in high-grade mucinous adenocarcinoma of the peritoneum from appendiceal origin. *Hum Pathol* 2014;45:1597-1604.
10. Singhi AD, Davison J, Choudry HA, et al. GNAS is frequently mutated in both low-grade and high-grade disseminated appendiceal mucinous neoplasms but does not affect survival. *Hum Pathol* 2014;45:1737-1743.